

Прокладки, контргайки, уплотнители

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727) 345-47-04

Беларусь +(375) 257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: phb@nt-rt.ru || сайт: <https://pepperl-fuchs.nt-rt.ru/>



Washer gasket, split

WA.SP.M*.SA.K10

- Significant time savings when replacing worn washer gaskets
- Easy installation
- Degree of protection IP66 / IP68
- Available for various thread sizes
- UV resistant
- Ozone resistant
- Packaging unit: 10 pieces

Washer gasket, split

Function


The Split Washer Gaskets enable repair to damaged, worn or missing washers on existing installed cable entries without having to dismantle the affected cable glands.
This split washer enables cost effective and efficient repairs by reducing the amount of people, materials and tasks involved compared to the standard repair process.

Technical Data


Mechanical specifications		
Degree of protection		IP66 , IP68 (1 h @ 100 kPa)
Material		TPV thermoplastic vulcanizate / Santoprene
Finish		inherent color black
Dimensions		see data table
Ambient conditions		
Ambient temperature		-60 ... 135 °C (-76 ... 275 °F)
General information		
Scope of delivery		Washer gasket, split number: see data table

Dimensions

Legend	
1	Washer gasket, split
L	Thickness
DI	Inner diameter when open
DO	Outer diameter when closed




Type	Thread size	Dimensions [mm]			Mass approx. [g]		Delivery quantity
		L	DI	DO	Component	Packaging unit	
WA.SP.M20.SA.K10	M20	3	23	34	3.2	32	10
WA.SP.M25.SA.K10	M25	3	29	40	3.5	35	10
WA.SP.M32.SA.K10	M32	3	37	48	3.8	38	10



washer gasket WA.FL.M12.F.K100

- For thread M12
- Packaging unit: 100 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.


Legend

DO	Outer diameter
DI	Inside diameter
L	Total length

Technical Data

Mechanical specifications


Material	aramid fibers bonded with NBR
Finish	inherent color green
Dimensions	
Outer diameter (DO)	15.5 mm
Inside diameter (DI)	12.1 mm
Total length (L)	1.5 mm
General information	
Delivery quantity	100



washer gasket WA.FL.M16.F.K100

- For thread M16
- Packaging unit: 100 pieces

Dimensions




Dimension values see data table.
Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
DO	Outer diameter
DI	Inside diameter
L	Total length

Technical Data

Mechanical specifications


Material	aramid fibers bonded with NBR	
Finish	inherent color green	
Dimensions		
Outer diameter (DO)		19.6 mm
Inside diameter (DI)		16.1 mm
Total length (L)		1.5 mm
General information		
Delivery quantity		100



washer gasket WA.FL.M20.F.K100

- For thread M20
- Packaging unit: 100 pieces

Dimensions




Dimension values see data table.
Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
DO	Outer diameter
DI	Inside diameter
L	Total length

Technical Data

Mechanical specifications


Material	aramid fibers bonded with NBR	
Finish	inherent color green	
Dimensions		
Outer diameter (DO)		23.8 mm
Inside diameter (DI)		20.1 mm
Total length (L)		1.5 mm
General information		
Delivery quantity		100



washer gasket WA.FL.M25.F.K100

- For thread M25
- Packaging unit: 100 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.


Legend

DO	Outer diameter
DI	Inside diameter
L	Total length

Technical Data

Mechanical specifications


Material	aramid fibers bonded with NBR
Finish	inherent color green
Dimensions	
Outer diameter (DO)	32.2 mm
Inside diameter (DI)	25.1 mm
Total length (L)	1.5 mm
General information	
Delivery quantity	100



washer gasket WA.FL.M32.F.K100

- For thread M32
- Packaging unit: 100 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.


Legend

DO	Outer diameter
DI	Inside diameter
L	Total length

Technical Data

Mechanical specifications

Material	aramid fibers bonded with NBR
Finish	inherent color green
Dimensions	
Outer diameter (DO)	39.8 mm
Inside diameter (DI)	32.1 mm
Total length (L)	1.5 mm
General information	
Delivery quantity	100




washer gasket

WA.FL.M63.F.K50

- For thread M63
- Packaging unit: 50 pieces

Dimensions



Dimension values see data table.


Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
DO	Outer diameter
DI	Inside diameter
L	Total length

Technical Data

Mechanical specifications


Material	aramid fibers bonded with NBR	
Finish	inherent color green	
Dimensions		
Outer diameter (DO)		78.4 mm
Inside diameter (DI)		63.2 mm
Total length (L)		1.5 mm
General information		
Delivery quantity		50



washer gasket WA.FL.M40.F.K50

- For thread M40
- Packaging unit: 50 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.


Legend

DO	Outer diameter
DI	Inside diameter
L	Total length

Technical Data

Mechanical specifications

Material	aramid fibers bonded with NBR
Finish	inherent color green
Dimensions	
Outer diameter (DO)	49.6 mm
Inside diameter (DI)	40.1 mm
Total length (L)	1.5 mm
General information	
Delivery quantity	50




washer gasket

WA.FL.M50.F.K50

- For thread M50
- Packaging unit: 50 pieces

Dimensions



Dimension values see data table.


Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
DO	Outer diameter
DI	Inside diameter
L	Total length

Technical Data

Mechanical specifications

Material	aramid fibers bonded with NBR	
Finish		inherent color green
Dimensions		
Outer diameter (DO)		62 mm
Inside diameter (DI)		50.2 mm
Total length (L)		1.5 mm
General information		
Delivery quantity		50




washer gasket

WA.FL.M75.F.K50

- For thread M75
- Packaging unit: 50 pieces

Dimensions



Dimension values see data table.


Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
DO	Outer diameter
DI	Inside diameter
L	Total length

Technical Data

Mechanical specifications


Material	aramid fibers bonded with NBR	
Finish		inherent color green
Dimensions		
Outer diameter (DO)		93.4 mm
Inside diameter (DI)		75.2 mm
Total length (L)		1.5 mm
General information		
Delivery quantity		50



washer gasket WA.FL.NPT1-1/2.F.K50

- For thread NPT 1-1/2"
- Packaging unit: 50 pieces

Dimensions



Dimension values see data table.


Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
DO	Outer diameter
DI	Inside diameter
L	Total length

Technical Data

Mechanical specifications


Material	aramid fibers bonded with NBR	
Finish		inherent color green
Dimensions		
Outer diameter (DO)		60 mm
Inside diameter (DI)		48.4 mm
Total length (L)		1.5 mm
General information		
Delivery quantity		50



washer gasket WA.FL.NPT1/4.F.K100

- For thread NPT 1/4"
- Packaging unit: 100 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.


Legend

DO	Outer diameter
DI	Inside diameter
L	Total length

Technical Data

Mechanical specifications


Material	aramid fibers bonded with NBR	
Finish	inherent color green	
Dimensions		
Outer diameter (DO)		17.5 mm
Inside diameter (DI)		13.8 mm
Total length (L)		1.5 mm
General information		
Delivery quantity		100



washer gasket
WA.FL.NPT1/2.F.K100

- For thread NPT 1/2"
- Packaging unit: 100 pieces

Dimensions




Dimension values see data table.
Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
DO	Outer diameter
DI	Inside diameter
L	Total length

Technical Data


Mechanical specifications		
Material	aramid fibers bonded with NBR	
Finish		inherent color green
Dimensions		
Outer diameter (DO)		25 mm
Inside diameter (DI)		21.5 mm
Total length (L)		1.5 mm
General information		
Delivery quantity		100



washer gasket WA.FL.NPT1.F.K100

- For thread NPT 1"
- Packaging unit: 100 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.


Legend

DO	Outer diameter
DI	Inside diameter
L	Total length

Technical Data

Mechanical specifications


Material	aramid fibers bonded with NBR
Finish	inherent color green
Dimensions	
Outer diameter (DO)	40.5 mm
Inside diameter (DI)	33.5 mm
Total length (L)	1.5 mm
General information	
Delivery quantity	100



washer gasket WA.FL.NPT3/8.F.K100

- For thread NPT 3/8"
- Packaging unit: 100 pieces

Dimensions



Dimension values see data table.


Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
DO	Outer diameter
DI	Inside diameter
L	Total length

Technical Data

Mechanical specifications


Material	aramid fibers bonded with NBR	
Finish	inherent color green	
Dimensions		
Outer diameter (DO)		21 mm
Inside diameter (DI)		17.5 mm
Total length (L)		1.5 mm
General information		
Delivery quantity		100



washer gasket WA.FL.NPT3/4.F.K100

- For thread NPT 3/4"
- Packaging unit: 100 pieces

Dimensions




Dimension values see data table.
Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
DO	Outer diameter
DI	Inside diameter
L	Total length

Technical Data

Mechanical specifications


Material	aramid fibers bonded with NBR	
Finish		inherent color green
Dimensions		
Outer diameter (DO)		33 mm
Inside diameter (DI)		26.8 mm
Total length (L)		1.5 mm
General information		
Delivery quantity		100



washer gasket WA.FL.NPT2.F.K50

- For thread NPT 2"
- Packaging unit: 50 pieces

Dimensions



Dimension values see data table.


Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
DO	Outer diameter
DI	Inside diameter
L	Total length

Technical Data

Mechanical specifications


Material	aramid fibers bonded with NBR	
Finish	inherent color green	
Dimensions		
Outer diameter (DO)		78.4 mm
Inside diameter (DI)		60.5 mm
Total length (L)		1.5 mm
General information		
Delivery quantity		50



washer gasket WA.FL.NPT2-1/2.F.K50

- For thread NPT 2-1/2"
- Packaging unit: 50 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.

Legend

DO	Outer diameter
DI	Inside diameter
L	Total length

Technical Data

Mechanical specifications

Material	aramid fibers bonded with NBR
Finish	inherent color green
Dimensions	
Outer diameter (DO)	85 mm
Inside diameter (DI)	73.2 mm
Total length (L)	1.5 mm
General information	
Delivery quantity	50




Locknuts

LN.M32.BN.K50

- Brass nickel-plated
- Thread M32
- Packaging unit: 50 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
D2	Width across corners
L	Total length
SW1	Width across flats
TF	Thread size female

Technical Data

Mechanical specifications

Thread type	metric ISO pitch 1.5 mm
Thread size female (TF)	M32
Material	brass, nickel-plated
Finish	inherent color silver
Dimensions	
Width across corners (D2)	39.5 mm

Technical Data

Width across flats (SW1)	36 mm
Total length (L)	5 mm
General information	
Delivery quantity	50
Scope of delivery	Locknuts

Matching system components

	CG.AR.M32L.SS. C.16.K10	
	CG.AR.M32.SS.C.16.K10	
	CG.AR.M32L.BN. C.16.K10	
	CG.AR.M32.BN.C.16.K10	
	CG.CO.M32.BN.C.16.K10	
	CG.EM.M32.BN.C.19.K15	
	CG.EM.M32.SS.C.19.K15	
	CG.NA.M32S.BN. C.16.K15	
	CG.NA.M32S.SS. C.16.K15	
	AD.M32.M20.BN. C.15.K35	
	AD.M32.M25.BN. C.15.K35	
	AD.M32.NPT1.BN. C.15.K35	
	AD.M32.NPT1.SS. C.15.K35	
	AD.M32.NPT3/4.BN. C.15.K35	
	AD.M32.NPT3/4.SS. C.15.K35	
	SP.MD.M32.BN.C.15.K25	
	SP.MD.M32.SS.C.15.K25	




Locknuts

LN.M12.BN.50.K100

- Brass nickel-plated
- Thread M12
- Packaging unit: 100 pieces

Dimensions



Dimension values see data table.
Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
D2	Width across corners
L	Total length
SW1	Width across flats
TF	Thread size female

Technical Data

Mechanical specifications	
Thread type	metric ISO pitch 1.5 mm
Thread size female (TF)	M12
Material	brass, nickel-plated
Finish	inherent color silver
Dimensions	
Width across corners (D2)	16.6 mm
Width across flats (SW1)	15 mm
Total length (L)	5 mm

Technical Data

General information

Delivery quantity	100
Scope of delivery	Locknuts

Matching system components

	SP.PE.M12.PA.C.10.K50	
---	-----------------------	--




Locknuts

LN.M16.BN.50.K100

- Brass nickel-plated
- Thread M16
- Packaging unit: 100 pieces

Dimensions



Dimension values see data table.
Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
D2	Width across corners
L	Total length
SW1	Width across flats
TF	Thread size female

Technical Data

Mechanical specifications	
Thread type	metric ISO pitch 1.5 mm
Thread size female (TF)	M16
Material	brass, nickel-plated
Finish	inherent color silver
Dimensions	
Width across corners (D2)	21 mm
Width across flats (SW1)	19 mm
Total length (L)	5 mm

Technical Data

General information		
Delivery quantity		100
Scope of delivery	Locknuts	

Matching system components

	SP.MD.M16.BN.C.15.K50	
	SP.MD.M16.SS.C.15.K50	
	SP.PE.M16.PA.C.15.K50	




Locknuts

LN.M40.BN.K25

- Brass nickel-plated
- Thread M40
- Packaging unit: 25 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
D2	Width across corners
L	Total length
SW1	Width across flats
TF	Thread size female

Technical Data

Mechanical specifications

Thread type	metric ISO pitch 1.5 mm
Thread size female (TF)	M40
Material	brass, nickel-plated
Finish	inherent color silver
Dimensions	
Width across corners (D2)	51 mm

Technical Data

Width across flats (SW1)	46 mm
Total length (L)	5 mm
General information	
Delivery quantity	25
Scope of delivery	Locknuts

Matching system components

	CG.AR.M40.SS.C.16.K10	
	CG.AR.M40.BN.C.16.K05	
	CG.CO.M40.BN.C.18.K05	
	CG.EM.M40.BN.C.20.K05	
	CG.EM.M40.SS.C.20.K05	
	CG.NA.M40S.BN. C.18.K05	
	CG.NA.M40S.SS. C.18.K05	
	AD.M40.M32.BN. C.18.K20	
	AD.M40.NPT1-1/2.BN. C.18.K20	
	AD.M40.NPT1-1/2.SS. C.18.K20	
	AD.M40.NPT1-1/4.BN. C.18.K20	
	AD.M40.NPT1-1/4.SS. C.18.K20	
	SP.MD.M40.BN.C.17.K10	
	SP.MD.M40.SS.C.17.K10	
	SP.PE.M40.PA.C.18.K10	




Locknuts

LN.M25.BN.55.K50

- Brass nickel-plated
- Thread M25
- Packaging unit: 50 pieces

Dimensions



Dimension values see data table.
Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
D2	Width across corners
L	Total length
SW1	Width across flats
TF	Thread size female

Technical Data

Mechanical specifications	
Thread type	metric ISO pitch 1.5 mm
Thread size female (TF)	M25
Material	brass, nickel-plated
Finish	inherent color silver
Dimensions	
Width across corners (D2)	33 mm
Width across flats (SW1)	30 mm
Total length (L)	5.5 mm

Technical Data

General information

Delivery quantity	50
Scope of delivery	Locknuts

Matching system components

	AD.M25.M20.BN. C.15.K35	
	AD.M25.NPT1.BN. C.15.K35	
	AD.M25.NPT1.SS. C.15.K35	
	AD.M25.NPT1/2.BN. C.15.K35	
	AD.M25.NPT1/2.SS. C.15.K35	
	AD.M25.NPT3/4.BN. C.15.K35	
	AD.M25.NPT3/4.SS. C.15.K35	
	SP.MD.M25.BN.C.15.K50	
	SP.MD.M25.SS.C.15.K50	
	SP.PE.M25.PA.C.15.K25	




Locknuts

LN.M20.BN.55.K100

- Brass nickel-plated
- Thread M20
- Packaging unit: 100 pieces

Dimensions



Dimension values see data table.
Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
D2	Width across corners
L	Total length
SW1	Width across flats
TF	Thread size female

Technical Data

Mechanical specifications	
Thread type	metric ISO pitch 1.5 mm
Thread size female (TF)	M20
Material	brass, nickel-plated
Finish	inherent color silver
Dimensions	
Width across corners (D2)	26.5 mm
Width across flats (SW1)	24 mm
Total length (L)	5.5 mm

Technical Data**General information**

Delivery quantity		100
Scope of delivery	Locknuts	

Matching system components

	AD.M20.M16.BN. C.15.K63	
	AD.M20.NPT1/2.BN. C.15.K35	
	AD.M20.NPT1/2.SS. C.15.K35	
	AD.M20.NPT3/4.BN. C.15.K35	
	AD.M20.NPT3/4.SS. C.15.K35	
	SP.MD.M20.BN.C.15.K50	
	SP.MD.M20.SS.C.15.K50	
	SP.PE.M20.PA.C.15.K50	




Locknuts

LN.NPSL1-1/2.BN.K25

- Brass nickel-plated
- Thread NPSL 1-1/2"
- Packaging unit: 25 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
D2	Width across corners
L	Total length
SW1	Width across flats
TF	Thread size female

Technical Data

Mechanical specifications

Thread type	NPSL ANSI B1.20.1
Thread size female (TF)	NPSL 1-1/2"
Material	brass, nickel-plated
Finish	inherent color silver
Dimensions	
Width across corners (D2)	65.1 mm

Technical Data

Width across flats (SW1)	60 mm
Total length (L)	7 mm
General information	
Delivery quantity	25
Scope of delivery	Locknuts

Matching system components

	CG.AR.NPT1-1/2.SS. C.28.K02
	CG.AR.NPT1-1/2.BN. C.28.K02




Locknuts

LN.M75.BN.K10

- Brass nickel-plated
- Thread M75
- Packaging unit: 10 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
D2	Width across corners
L	Total length
SW1	Width across flats
TF	Thread size female

Technical Data

Mechanical specifications

Thread type	metric ISO pitch 1.5 mm
Thread size female (TF)	M75
Material	brass, nickel-plated
Finish	inherent color silver
Dimensions	
Width across corners (D2)	89 mm

Technical Data

Width across flats (SW1)	80 mm
Total length (L)	7 mm
General information	
Delivery quantity	10
Scope of delivery	Locknuts

Matching system components

	CG.CO.M75.BN.C.20.K02	
---	-----------------------	--




Locknuts

LN.M63.BN.K10

- Brass nickel-plated
- Thread M63
- Packaging unit: 10 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
D2	Width across corners
L	Total length
SW1	Width across flats
TF	Thread size female

Technical Data

Mechanical specifications

Thread type	metric ISO pitch 1.5 mm
Thread size female (TF)	M63
Material	brass, nickel-plated
Finish	inherent color silver
Dimensions	
Width across corners (D2)	77 mm

Technical Data

Width across flats (SW1)	70 mm
Total length (L)	6 mm
General information	
Delivery quantity	10
Scope of delivery	Locknuts

Matching system components

	CG.AR.M63.SS.C.20.K02	
	CG.AR.M63.BN.C.20.K02	
	CG.CO.M63.BN.C.18.K02	
	CG.NA.M63.BN.C.18.K02	
	CG.NA.M63S.BN.C.18.K04	
	CG.NA.M63.SS.C.18.K02	
	CG.NA.M63S.SS.C.18.K04	
	AD.M63.M50.BN.C.18.K12	
	AD.M63.NPT2.BN.C.18.K12	
	AD.M63.NPT2.SS.C.18.K12	
	SP.MD.M63.BN.C.17.K05	
	SP.MD.M63.SS.C.17.K05	
	SP.PE.M63.PA.C.18.K05	




Locknuts

LN.M50.BN.K25

- Brass nickel-plated
- Thread M50
- Packaging unit: 25 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
D2	Width across corners
L	Total length
SW1	Width across flats
TF	Thread size female

Technical Data

Mechanical specifications

Thread type	metric ISO pitch 1.5 mm
Thread size female (TF)	M50
Material	brass, nickel-plated
Finish	inherent color silver
Dimensions	
Width across corners (D2)	66 mm

Technical Data

Width across flats (SW1)	60 mm
Total length (L)	5 mm
General information	
Delivery quantity	25
Scope of delivery	Locknuts

Matching system components

	CG.AR.M50.SS.C.16.K02	
	CG.AR.M50.BN.C.16.K02	
	CG.CO.M50.BN.C.18.K02	
	CG.EM.M50.BN.C.20.K05	
	CG.EM.M50.SS.C.20.K05	
	CG.NA.M50.BN.C.18.K04	
	CG.NA.M50S.BN.C.18.K05	
	CG.NA.M50.SS.C.18.K04	
	CG.NA.M50S.SS.C.18.K05	
	AD.M50.M40.BN.C.18.K12	
	AD.M50.NPT1-1/2.BN.C.18.K12	
	AD.M50.NPT1-1/2.SS.C.18.K12	
	AD.M50.NPT2.BN.C.18.K12	
	AD.M50.NPT2.SS.C.18.K12	
	SP.MD.M50.BN.C.17.K05	
	SP.MD.M50.SS.C.17.K05	
	SP.PE.M50.PA.C.18.K05	




Locknuts

LN.NPSL2-1/2.BN.K10

- Brass nickel-plated
- Thread NPSL 2-1/2"
- Packaging unit: 10 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
D2	Width across corners
L	Total length
SW1	Width across flats
TF	Thread size female

Technical Data

Mechanical specifications

Thread type	NPSL ANSI B1.20.1
Thread size female (TF)	NPSL 2-1/2"
Material	brass, nickel-plated
Finish	inherent color silver
Dimensions	
Width across corners (D2)	89 mm

Technical Data

Width across flats (SW1)	80 mm
Total length (L)	10 mm
General information	
Delivery quantity	10
Scope of delivery	Locknuts




Locknuts

LN.NPSL1/2.BN.K100

- Brass nickel-plated
- Thread NPSL 1/2"
- Packaging unit: 100 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
D2	Width across corners
L	Total length
SW1	Width across flats
TF	Thread size female

Technical Data

Mechanical specifications

Thread type	NPSL ANSI B1.20.1
Thread size female (TF)	NPSL 1/2"
Material	brass, nickel-plated
Finish	inherent color silver
Dimensions	
Width across corners (D2)	26.5 mm

Technical Data

Width across flats (SW1)	24 mm
Total length (L)	5 mm
General information	
Delivery quantity	100
Scope of delivery	Locknuts

Matching system components

	CG.AR.NPT1/2L.BN. C.21.K15	
	CG.AR.NPT1/2L.SS. C.21.K15	
	CG.AR.NPT1/2.SS. C.21.K15	
	CG.AR.NPT1/2.BN. C.21.K15	




Locknuts

LN.NPSL1.BN.K50

- Brass nickel-plated
- Thread NPSL 1"
- Packaging unit: 50 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
D2	Width across corners
L	Total length
SW1	Width across flats
TF	Thread size female

Technical Data

Mechanical specifications

Thread type	NPSL ANSI B1.20.1
Thread size female (TF)	NPSL 1"
Material	brass, nickel-plated
Finish	inherent color silver
Dimensions	
Width across corners (D2)	46.4 mm

Technical Data

Width across flats (SW1)	42 mm
Total length (L)	6 mm
General information	
Delivery quantity	50
Scope of delivery	Locknuts

Matching system components

	CG.AR.NPT1L.BN. C.26.K10	
	CG.AR.NPT1L.SS. C.26.K10	
	CG.AR.NPT1.SS. C.26.K10	
	CG.AR.NPT1.BN. C.26.K10	




Locknuts

LN.NPSL1-1/4.BN.K25

- Brass nickel-plated
- Thread NPSL 1-1/4"
- Packaging unit: 25 pieces

Dimensions



Dimension values see data table.
Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
D2	Width across corners
L	Total length
SW1	Width across flats
TF	Thread size female

Technical Data

Mechanical specifications		
Thread type		NPSL ANSI B1.20.1
Thread size female (TF)		NPSL 1-1/4"
Material		brass, nickel-plated
Finish		inherent color silver
Dimensions		
Width across corners (D2)		57.4 mm

Technical Data

Width across flats (SW1)	52 mm
Total length (L)	7 mm
General information	
Delivery quantity	25
Scope of delivery	Locknuts

Matching system components

	CG.AR.NPT1-1/4.SS. C.28.K05
	CG.AR.NPT1-1/4.BN. C.28.K05




Locknuts

LN.NPSL3.BN.K10

- Brass nickel-plated
- Thread NPSL 3"
- Packaging unit: 10 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
D2	Width across corners
L	Total length
SW1	Width across flats
TF	Thread size female

Technical Data

Mechanical specifications

Thread type	NPSL ANSI B1.20.1
Thread size female (TF)	NPSL 3"
Material	brass, nickel-plated
Finish	inherent color silver
Dimensions	
Width across corners (D2)	105 mm

Technical Data

Width across flats (SW1)	95 mm
Total length (L)	10 mm
General information	
Delivery quantity	10
Scope of delivery	Locknuts




Locknuts

LN.NPSL2.BN.K10

- Brass nickel-plated
- Thread NPSL 2"
- Packaging unit: 10 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
D2	Width across corners
L	Total length
SW1	Width across flats
TF	Thread size female

Technical Data

Mechanical specifications

Thread type	NPSL ANSI B1.20.1
Thread size female (TF)	NPSL 2"
Material	brass, nickel-plated
Finish	inherent color silver
Dimensions	
Width across corners (D2)	81.8 mm

Technical Data

Width across flats (SW1)	74 mm
Total length (L)	8 mm
General information	
Delivery quantity	10
Scope of delivery	Locknuts

Matching system components

	CG.AR.NPT2.SS. C.28.K02
	CG.AR.NPT2.BN. C.28.K02




Locknuts

LN.NPSL3-1/2.BN.K10

- Brass nickel-plated
- Thread NPSL 3-1/2"
- Packaging unit: 10 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
D2	Width across corners
L	Total length
SW1	Width across flats
TF	Thread size female

Technical Data

Mechanical specifications

Thread type	NPSL ANSI B1.20.1
Thread size female (TF)	NPSL 3-1/2"
Material	brass, nickel-plated
Finish	inherent color silver
Dimensions	
Width across corners (D2)	128.5 mm

Technical Data

Width across flats (SW1)	115 mm
Total length (L)	10 mm
General information	
Delivery quantity	10
Scope of delivery	Locknuts




Locknuts

LN.NPSL3/8.BN.K100

- Brass nickel-plated
- Thread NPSL 3/8"
- Packaging unit: 100 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
D2	Width across corners
L	Total length
SW1	Width across flats
TF	Thread size female

Technical Data

Mechanical specifications

Thread type	NPSL ANSI B1.20.1
Thread size female (TF)	NPSL 3/8"
Material	brass, nickel-plated
Finish	inherent color silver
Dimensions	
Width across corners (D2)	26.5 mm

Technical Data

Width across flats (SW1)	24 mm
Total length (L)	5 mm
General information	
Delivery quantity	100
Scope of delivery	Locknuts

Matching system components

	CG.AR.NPT3/8.SS. C.16.K15
	CG.AR.NPT3/8.BN. C.16.K15




Locknuts

LN.NPSL3/4.BN.K50

- Brass nickel-plated
- Thread NPSL 3/4"
- Packaging unit: 50 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.

Legend	
D2	Width across corners
L	Total length
SW1	Width across flats
TF	Thread size female

Technical Data

Mechanical specifications


Thread type	NPSL ANSI B1.20.1
Thread size female (TF)	NPSL 3/4"
Material	brass, nickel-plated
Finish	inherent color silver
Dimensions	
Width across corners (D2)	37.5 mm

Technical Data

Width across flats (SW1)	34 mm
Total length (L)	6 mm
General information	
Delivery quantity	50
Scope of delivery	Locknuts

Matching system components


	CG.AR.NPT3/4S.BN. C.21.K10	
	CG.AR.NPT3/4L.BN. C.21.K10	
	CG.AR.NPT3/4L.SS. C.21.K10	
	CG.AR.NPT3/4S.SS. C.21.K10	
	CG.AR.NPT3/4.SS. C.21.K10	
	CG.AR.NPT3/4.BN. C.21.K10	



washer gasket WA.FL.NPT1-1/4.F.K50

- For thread NPT 1-1/4"
- Packaging unit: 50 pieces

Dimensions



Dimension values see data table.

Image and drawing are generic for this component type and may deviate from the specific variant.

Legend

DO	Outer diameter
DI	Inside diameter
L	Total length

Technical Data

Mechanical specifications

Material	aramid fibers bonded with NBR
Finish	inherent color green
Dimensions	
Outer diameter (DO)	50 mm
Inside diameter (DI)	42.3 mm
Total length (L)	1.5 mm
General information	
Delivery quantity	50

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727) 345-47-04

Беларусь +(375) 257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: phb@nt-rt.ru || сайт: <https://pepperl-fuchs.nt-rt.ru/>